



MINI Indoor Camera




CF218MINI

Features

- **Unique and elegant design, three color for option, silver , black, white**
- **MPEG-4 compression for reduced bandwidth and storage**
Unlike many cheaper models in the market, the CF218MINI utilizes the MPEG-4 compression format. This is a valuable chipset that achieves high compression ratios, allowing smooth moving images to be streamed over lower bandwidth connections.
- **Support smart mobile surveillance anywhere anytime**
- Micro SD card slot allows footage to be recorded and motion alerted locally to the camera and be played back within a web browser, up to 8GB
- **Motion detection alerts via email and FTP** The camera comes with useful alarm tools that will keep you notified if any motion is detected. It has built-in functions that can generate alarm triggers via email and FTP
- **IR-CUT filter for better image quality**
The camera uses an IR-cut filter. IR light is filtered out so that it does not distort the colors of images as the human eye sees them.
- **Infrared Night Vision** The mini camera with 30 infrared LEDs to provide high levels of "invisible" light in dark environments.

Structure



MINI Indoor Camera

Model		CF218MINI	CF217MINI
Specification			
	Image sensor	1/4 CMOS	
	Lens	4MM	
	Infrared LED	30 LEDS	NO
	Night vision Distance	Up to 15m	NO
	CMOS Filter	IR-CUT	
	AWS/AGC/AES	Auto	
Camera	Pixels	310000	
	Minimum illumination	0.01Lux	
	General Digital I/O	one D/I and one D/O for external sensor and alarm	
	Viewing angle	Horizontal60° Vertical45.0°	
	SD card storage	Up to 8 GB	
		Video compression	Multi-stream MPEG-4 and MJPEG
Video	Stream type	HTTP;RTSP;RTP;RTCP;3GPP;MP4	
	Max. frame rate	up to 30 fps	
	Resolutions	640×480 320×240 160×120	
		Audio compression	ADPCM
Audio	Audio compression	32K/s,16bit/s	
	Audio	Built-in microphone	
		Network interface	Internet (10BASE-T/100BASE-TX)
Network	WI-FI	IEEE802.11b/g	
	Supported protocols	TCP/UDP/IP/ARP/ICMP/DHCP/DNS/HTTP/FTP /SMTP/NTP/PPPoE/UPnP/DDNS/RTSP/RTP/RTCP	
	Alarm	Motion detection	Three configurable zones for schedule motion detection

Yours Group Private Limited

1 Rochor Canal #05-69

Sim Lim Square Singapore 188504

Telephone : +65 64647912

Fax : +65 63364929

	Alarm events	<ul style="list-style-type: none">• Notification via email, FTP• External output activation and input devices alarm• Video recording to local storage
	periodic sending	Send image pictures to Email/FTP within the Provides time
General	Simultaneous viewers	10 viewers@320x240 4 viewers@640x480
	User Authentication	Authentication: user/password; administrator/general user
	Web browser	IE 6.0 or above version, Mozilla Firefox, Safari, Opera, Chrome ,etc
	Supported mobile	Nokia ,lphone ,window mobile and other smart phone
	Power	DC 5V 1.5A
	Power consumption	4W, 6W(night vision)
	Dimensions	85mm x 85mm x 30mm (W x D x H)
	Weight	150g(Main body)
	Accessories	Power supply (x1), CD-ROM(installation tools, Monitoring software and User's Manual), Stand(x1)